Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	24475	(optic\$2 and connector).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 06:13
S2 .	49	S1 and (splic\$3 same (pivot\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 13:59
S3	58	S1 and (ferrule with pivot\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 13:14
S4	57	S3 not S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 13:12
S5	29	S1 and (sleeve with pivot\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 13:31
S6	2	("5265183" "5574813").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/20 13:25
S7	3	("5818993").URPN.	USPAT	OR	OFF	2005/09/20 13:25
S8	10	"5993070".pn. or "4645295".pn. or "0421305"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 13:28
S9	28	("3517981" "3846010" "3861781" "3902785" "3914015" "3923371" "3933409" "3941485" "3954338" "3966299" "4009931" "4016356" "4026633" "4029390" "4033668" "4046453" "4076379" "4101198" "4113346" "4133601" "4139260" "4142776" "4158477" "4186997" "4240695" "4241234" "4279466"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/20 13:28
S10	48	("4645295").URPN.	USPAT	OR	OFF	2005/09/20 13:30

S11	21506	connector and ((ferrule or sleeve or housing) with pivot\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 13:32
S12	10958	S11 and (open\$4 same clos\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 13:33
S13	1873	S12 and optic\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 13:33
S14	3778	S12 and cable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 13:33
S15	171	S14 and "385"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 13:34
S16	6	"5259059".pn. or "4630889".pn. or "6512867".pn. or "6512867".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 14:00
S17	6	"5074638".pn. or "4645295".pn. or "5993070".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 06:17
S18	2	"20030031437"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 06:45
S19	3056	385/76-78,80-84,86,87.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 06:48
S20	56	S19 and (ferrule or pin) same (hing\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 06:48

S21	131	S19 and (ferrule or pin) same (hing\$3 or pivot\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 06:54
S22	3824	(waveguide or fiber of fibre) with end with (splic\$3 or weld\$3 or fus\$3) same (ferrule or housing or connect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 06:56
S23	549	S22 and (pivot\$3 or hing\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 06:56
S24	3	("4838641" "5499310" "5712939"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/21 07:04
S25	2	("5138681" "5682450").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/21 07:07
S26	0	("6033124").URPN.	USPAT	OR	OFF	2005/09/21 07:07
S27	9	("5963699").URPN.	USPAT	OR	OFF	2005/09/21 07:08
S28	5	("4208095" "4593972" "4717233" "5440657" "5708746").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/21 07:09
S29	4	("5546491").URPN.	USPAT	OR	OFF	2005/09/21 07:13
S30	26685	"385"/\$.ccls.	USPAT	OR	OFF	2005/09/21 07:14
S31	19486	S30 and connect\$3	USPAT	OR	OFF	2005/09/21 07:14
S32	51	S31 and (halves with (hing\$3 or pivot\$4))	USPAT	OR	OFF	2005/09/21 07:19
S33	14	("4729625").URPN.	USPAT	OR	OFF	2005/09/21 07:17
S34	287	splic\$3 near10 protection and (optic\$2 near2 (fiber or fibre))	USPAT	OR	OFF	2005/09/21 07:20
S35	14	("5825963").URPN.	USPAT	OR	OFF	2005/09/21 07:28
S36	1642	connector with plug same weld\$3	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 07:31
S37	369	S36 and (pivot\$3 or hing\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 07:29

368	S37 not S34	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 07:29
363	S38 not S23	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 07:29
3523	optic\$2 near4 connector with plug\$4	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 07:32
9	S40 and (stub same (weld\$3 or splic\$3 or fus\$4))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 07:35
2	"5818993".pn.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 07:35
3	("5818993").URPN.	USPAT	OR	OFF	2005/09/21 07:35
2	("5265183" "5574813").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/21 07:37
120	S30 and (ferrule or sleeve or pin or housing) with (half or halves) with (pivot\$3 or hing\$3 or (clos\$3 or open\$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/21 07:38
141	S30 and (ferrule or sleeve or pin or housing or shell) with (half or halves) with (pivot\$3 or hing\$3 or (clos\$3 or open\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 07:56
10	("5894536").URPN.	USPAT	OR	OFF	2005/09/21 07:54
303	S30 and (connector same weld\$3)	USPAT	OR.	ON	2005/09/21 07:54
253	S48 and (pivot\$3 or hing\$3 or (clos\$3 or open\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 08:55
26	("5367594").URPN.	USPAT	OR	OFF	2005/09/21 08:24
51	"5993070".pn. or "4645295" or "0421305"	USPAT	OR	OFF	2005/09/21 08:24
	363 3523 9 2 120 141 10 303 253	363 S38 not S23 3523 optic\$2 near4 connector with plug\$4 9 S40 and (stub same (weld\$3 or splic\$3 or fus\$4)) 2 "5818993".pn. 3 ("5818993").URPN. 2 ("5265183" "5574813").PN. 120 S30 and (ferrule or sleeve or pin or housing) with (half or halves) with (pivot\$3 or hing\$3 or (clos\$3 or open\$3)) 141 S30 and (ferrule or sleeve or pin or housing or shell) with (half or halves) with (pivot\$3 or hing\$3 or (clos\$3 or open\$3)) 10 ("5894536").URPN. 303 S30 and (connector same weld\$3) 253 S48 and (pivot\$3 or hing\$3 or (clos\$3 or open\$3)) 26 ("5367594").URPN. 51 "5993070".pn. or "4645295" or	USOCR; EPO; JPO; DERWENT; IBM_TDB	USOCR; EPC; JPC; DERWENT; IBM_TDB	USOCR EPO; JPO; DERWENT; IBM_TDB USPAT; USOCR EPO; JPO; DERWENT; IBM_TDB USPAT USPAT USPAT USPAT USPAT; USOCR USPAT; USOCR USPAT; USPAT; USOCR USPAT; USP

S52	3	"5993070".pn. or "4645295".pn. or "0421305"	USPAT; EPO	OR	OFF	2005/09/21 08:24
S53	51439	(possible.clm.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 08:55
S54	0	"385".\$.ccls. and S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 08:55
S55	322	S53 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 08:55
S56	241	S53 and "385"/\$.ccls.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 08:55

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"9631795" or "864888"	EPO	OR	OFF	2005/09/24 10:03
L2	2318	(connector near1 plug) and (pivot\$4 or flip\$4 or swing\$3 or turn\$3) same (tube or sleeve or ferrule or cladding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 10:06
L3	459	2 and optic\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 10:06
L4	8	("3810802" "4129932" "4598974" "5095519" "5257337" "5436999" "5740301").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/24 10:15
L5	5	("5963692").URPN.	USPAT	OR	OFF	2005/09/24 10:16
L6	29	("5157749").URPN.	USPAT	OR	OFF	2005/09/24 10:22
L7	267	385/56.ccls.	USPAT	OR	OFF	2005/09/24 10:24
L8	209	385/99.ccls.	USPAT	OR	OFF	2005/09/24 10:24
L9	6	("6185347" "6215919" "6272264" "6282339" "6359054" "6379054"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/24 10:26
L10	2	("6443633").URPN.	USPAT	OR	OFF	2005/09/24 10:27
L11	10	("5894536").URPN.	USPAT	OR	OFF	2005/09/24 10:30
L12	8	("5642451").URPN.	USPAT	OR	OFF	2005/09/24 10:32
L13	4	("5546491").URPN.	USPAT	OR .	OFF	2005/09/24 10:34
L14	5	("5416873").URPN.	USPAT	OR	OFF	2005/09/24 10:45
L15	3	("5029972" "5042902" "5367594"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/24 10:45
L16	26	("5367594").URPN.	USPAT	OR	OFF	2005/09/24 10:46
L17	14	("5748819").URPN.	USPAT	OR	OFF	2005/09/24 10:49
L18	294	385/96.ccls.	USPAT	OR	OFF	2005/09/24 10:49
L19	1827979	"19" not 8	USPAT	OR	OFF	2005/09/24 10:49
L20	249	18 not 8	USPAT	OR	OFF	2005/09/24 10:52
L21	249	20 not "97".ccls.	USPAT	OR	OFF	2005/09/24 10:53
L22	139	385/97.ccls.	USPAT	OR	OFF	2005/09/24 10:53
L23	4	("4946249").URPN.	USPAT	OR	OFF	2005/09/24 10:57

L24	26	(weld\$3) with (fiber or fibre) with (access\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 11:00
L25	85	(splicing) with (fiber or fibre) with (access\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 11:00
L26	84	25 not 24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 11:02
L27	14949	(optic\$2 and connector).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 11:02
L28	0	27 and (pivot\$4) with (prevent\$3 near10 loosing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 11:04
L29	0	27 and (pivoted or pivoting or pivotable) with (prevent\$3 near10 loosing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 11:04
L30	0	27 and (pivoted or pivoting or pivotable) with (prevent\$3 near10 lose)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 11:05
L31	4	27 and (pivoted or pivoting or pivotable) with cladding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 11:18

		· · · · · · · · · · · · · · · · · · ·				
L32	419	(optic\$2 near2 (fiber or fibre)) same weld\$3 same open\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 11:32
L33	328	(optic\$2 near2 (fiber or fibre)) same weld\$3 same open\$3	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 11:19
L34	2	(optic\$2 near2 (fiber or fibre)) same (weld\$3 or slicing or fusion) with hing\$3 with open\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 11:33
L35	4	("5717813").URPN.	USPAT	OR	OFF	2005/09/24 11:33
L36	20	(optic\$2 near2 (fiber or fibre)) same (weld\$3 or slicing or fusion) with hing\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 11:34
L37	10	("5894536").URPN.	USPAT	OR	OFF	2005/09/24 11:47
L39	13	de-marchi-silverio.in.	USPAT	OR	OFF	2005/09/24 12:02
L41	227	connector near1 plug near1 pin	USPAT	OR	OFF	2005/09/24 12:26
L42	1	"4946249".pn.	USPAT	OR	OFF	2005/09/24 12:26
L43	1	42 and adhesive	USPAT	OR	OFF	2005/09/24 12:44
L45	26685	"385"/\$.ccls.	USPAT	OR	OFF	2005/09/24 12:48
L46	12	45 and (cap near10 groove with spring)	USPAT	OR	OFF	2005/09/24 13:07
L47	936	film near1 hinge	USPAT	OR	OFF	2005/09/24 13:08
L49	19	film near1 hinge with advanta\$4	USPAT	OR	OFF	2005/09/24 13:08

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3466	385/53-56,62,65-67.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 13:24
L2	120	1 and (hing\$2 or pivot\$4) with (open\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 13:25
L3	12	("4752111").URPN.	USPAT	OR	OFF	2005/09/24 13:29